

SUPPLEMENT TO



The Gazette of India

[No. 38] NEW DELHI, SATURDAY, SEPTEMBER 22, 1951

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 25th August 1951.

	CHOLERA		SMALLPOX		PLAQUE			CHOLERA		SMALLPOX		PLAQUE	
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.
STATES PART (A) & PART (C)													
Ajmer							Bombay						
Return not received							Bombay	.	.	1	—
Assam							Ahmedabad	.	—
Return not received							Kaira	.	—
Bhopal							Braor	.	1	..	3	2	..
No incidence.							Panch Mahals
(Estd. mid-year pop. 831 thousands)							Surat	4	1	..
Total for w/e 18-8-51	Thana	1	1	..
Total for w/e 11-8-51	Bombay Suburbans
7-yearly mean for the week	16	9	Ahmednagar	3
Bihar													
Batra	69	28	East Khandesh	.	21	4
Baya	10	1	2	2	West Khandesh	.	5	2	3
Bahadur	26	10	18	4	Amreli
Baran	3	1	5	2	Nasik	1	..
Bamperan	16	7	Poona	18	2	..
Buzafai-pur	7	3	14	Satara North	.	2	1	3
Barbhanga	17	7	12	7	Satara South
Longhyr	42	21	7	2	Sholapur	.	1	1
Bhagalpur	44	9	Sabarkantka
Bharsa	Belgaum
Burnea	23	2	Bijapur	.	4	1
Botal Parganas	34	17	10	1	Dharwar	.	16	6
Bazaribagh	7	Kanara	7
Banchi	7	3	2	1	Ratnagiri
Banbum	3	1	19	6	Kolaba
Balamau	8	Kolhapur
Binghbum	Baroda
TOTAL	285	108	120	27	Navsari
Estd. mid-year pop. 38,839 thousands)							Dangs
Total for w/e 18-8-51	291	134	247	71	Malwan
Total for w/e 11-8-51	385	198	242	71	Mehsana
7-yearly mean for the week	1,054	501	49	15	3	1	Banaskantha	4	1	..
							TOTAL	.	50	15	47	8	..
							(Estd. mid-year pop. 33,821 thousands)						
Total for w/e 18-8-51	31	11	64	11	Total for w/e 18-8-51	.	31	11	64	11	..
Total for w/e 11-8-51	55	24	70	6	Total for w/e 11-8-51	.	55	24	70	6	..
7-yearly mean for the week	290	124	68	11	7-yearly mean for the week	.	290	124	68	11	72
													30

Explanation of Symbols used:— C—Cases, D—Deaths

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 25th August, 1951—contd.

	CHOLERA				SMALLPOX				PLAQUE					CHOLERA				SMALLPOX				PLAQUE			
	C.	D.	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.		
Goorg												Madras													
No incidence.																									
(Estd. mid-year pop. 174 thousands)													Visakhapatnam	..	3	2	13	8	—	—	—	—	—	—	
Total for w/e 18-8-51	1	1	..	—	..	—	Chicacola	..	48	21	83	15	—	—	—	—	—	—	—	—	—		
Total for w/e 11-8-51	—	East Godavari	..	40	23	30	7		
7-yearly mean for the week	1	Krishna	..	2	1	14		
Delhi																									
No incidence.																									
Estd. mid-year pop. 1,453 thousands)													Kurnool	14	2	
Total for w/e 18-8-51	Bellary	..	29	13	7		
Total for w/e 11-8-51	2	Anantapur	..	35	24	3		
7-yearly mean for the week.	4	..	1	Medras	..	19	2	15	3		
Himachal Pradesh																									
No incidence.																									
(1941 census pop. 935 thousands)													North Arcot	..	48	26	47	8	
Total for w/e 18-8-51	Salem	..	13	5	15	10		
Total for w/e 11-8-51	Coimbatore	..	12	6	10	4		
Madhya Pradesh																									
No incidence.																									
Nagpur	Tanjore	..	44	28	62	19		
Wardha	1	Tiruchirapalli	..	1	..	53	11		
Chanda	10	Methurai	26	4		
Uhhindwara	1	2	Ramnud	..	1	1	36	6		
Betul	Tirunelveli	49	11		
Bhandara	Nilgiris	14	1		
Jabalpur	Malabar	24	11		
Sagar	South Kanara		
Mandla	2	West Godavari	..	21	8	13	3		
Hoshangabad	8	2	TOTAL	..	745	416	674	158		
Nimar	(Estd. mid-year pop. 55,055 thousands)		
Balaghat	Total for w/e 18-8-51	..	932	482	752	174		
Raipur	Total for w/e 11-8-51	..	640	327	809	187		
Bilaspur	7-yearly mean for the week	..	541	268	311	49	22		
Durg	21	2																	
Bastar																	
Surguja																	
Rajgarh	3																	
Amravati																	
Yeotmal	17	6																	
Akola																	
Buldana	1																	
TOTAL	26	10	38	2																	
(Estd. mid-year pop. 21,368 thousands)	(Estd. mid-year pop. 567 thousands)		
Total for w/e 18-8-51	7	3	115	8	Total for w/e 18-8-51		
Total for w/e 11-8-51	2	..	325	13	Total for w/e 11-8-51		
7-yearly mean for the week	604	311	44	8	25	4	Total for w/e 11-8-51		

Explanation of Symbols used.—C—Cases, D—Deaths.

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 25th August, 1951.

	CHOLERA			SMALLPOX			PLAQUE			CHOLERA			SMALLPOX			PLAQUE			
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	
Orissa										Uttar Pradesh									
Cuttack	53	16	Dehra Dun	Bareilly	
Balasore	2	1	7	2	Saharanpur	Bijnor	..	1	1	
Puri	27	7	Musaffarnagar	Baldia	
Sambalpur	18	9	Meerut	Etawah	..	8	2	
Khondmals	Balendshahr	Kanpur	
Ganjam Plains.	37	3	Aligarh	Fatehpur	
Ganjam Agency	24	4	Methura	Nainital	
Koraput	31	2	Agra	Almora	..	73	30	
Konajhar	34	10	Mainpuri	Kheri	
Dhenkanal	8	3	Bilaspur	Barabanki	
Bolangir Patna	6	1	Bareilly	Bareilly	..	3	1	
Sundergarh	20	Bijnor	Bijnor	
Kalahandi	5	Badaun	Badaun	
Angul	1	1	Moradabad	Moradabad	
Meyurbhanj	12	10	Shahjahanpur	Shahjahanpur	
TOTAL	2	1	283	68	Pilibhit	Pilibhit	
(Estd. mid-year pop. 13,413 thousands)							Farrukhabad	Farrukhabad	
Total for w/e 18-8-51	10	3	267	87	Etawah	Etawah	..	9	8	
Total for w/e 11-8-51	12	4	340	93	Kanpur	Kanpur	..	27	5	
7-yearly mean for the week	103	59	49	0	Fatehpur	Fatehpur	..	2	2	
Punjab (1)										Allahabad	
Hissar	Jhansi	Jhansi	
Rohtak	Jalaun	Jalaun	
Gurgaon	3	Hamirpur	Hamirpur	
Karnal	1	Banda	Banda	
Ambala	Banaras	Banaras	4	1	
Simla	Mirzapur	Mirzapur	..	2	
Kangra	Jaunpur	Jaunpur	
Hoshiarpur	Ghasipur	Ghasipur	
Jullundur	Ballia	Ballia	
Ludhiana	Gorakhpur	Gorakhpur	
Ferozepur	Deoria	Deoria	1	
* Amritsar	Basti	Basti	
Gurdaspur	Azamgarh	Azamgarh	..	2	2	
TOTAL	4	2	Nainital	Nainital	
(Estd. mid-year pop. 15,440 thousands)							Almora	Almora	
Total for w/e 18-8-51	8	2	5	1	Garhwal	Garhwal	
Total for w/e 11-8-51	4	2	6	7	Lucknow	Lucknow	
7-yearly mean for the week	24	11	1	1	Unao	Unao	..	8	6	
Tripura										Rae Barelli	6	5
No incidence							Sitapur	Sitapur
(Estd. mid-year pop. 584 thousands)							Hardoi	Hardoi	..	3	1
Total for w/e 18-8-51	1	1	Kheri	Kheri	
Total for w/e 11-8-51	1	4	1	Faizabad	Faizabad	1	

Explanation of Symbols used:— C = Cases, D = Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 25th August, 1951—*contd.*

	CHOLERA						SMALLPOX						PLAQUE						CHOLERA						SMALLPOX									
	O.		D.		O.		D.		O.		D.		O.		D.		O.		D.		O.		D.		O.		D.							
	Uttar Pradesh— <i>contd.</i>												STATES PART (B)												Hyderabad									
Rampur	Aurangabad				
TOTAL	..	142	..	61	..	0	..	3	Parbhani	17	4			
(Estd. mid-year pop. 62,134 thousands)													Bhir	28	12		
Total for w/e 18-8-51	116	..	41	..	6	..	2	..	1	Gulberga	9	4			
Total for w/e 11-8-51	57	..	34	..	27	..	12	Ratetur	2	1			
7-yearly mean for the week	1,103	..	627	..	22	..	5	..	18	..	6	..	Sidar	17	4	2	1			
West Bengal												..	Krimnagar	19	9			
Burdwan	..	20	..	7	..	29	..	13	Adilabad	5	1		
Birbhum	7	..	3	..	6	..	3	Nizamabad	1	2		
Bankura	17	..	7	Medak			
Midnapur	4	..	4	Nalgonda			
Hooghly	1	7	..	3	Mahbubnagar	2	1		
Howrah	16	..	8	..	12	..	2	Hyderabad	4	1	1	2		
24-Parganas	2	31	..	17	Nanded	65	22	1		
Calcutta	84	..	30	..	8	..	1	TOTAL	178	64	3	1	3		
Nadia	1	..	1	Jammu & Kashmir			
Murshidabad	2	Return not received.		
Malda	8	..	2	Madhya Bharat		
West Dinejpur	46	..	9	Bhind		
Jalpaiguri	Bhilsa		
Darjeeling	3	..	2	Gird		
Cooch Behar	1	Indore		
Chandernagore	Jhabua		
TOTAL	..	130	..	48	..	174	..	65	Morena		
(Estd. mid-year pop. 24,045 thousands)													Mandsaur		
Total for w/e 18-8-51	120	..	34	..	210	..	90	Nimar		
Total for w/e 11-8-51	191	..	79	..	267	..	102	Ratlam		
7-yearly mean for the week	141	..	63	..	50	..	24	Shivpuri		
Grand total for States Parts (A) & (C) excluding Ajmer and Assam.	1,380	..	659	..	1,353	..	333	Shajapur		
(Estd. mid-year pop. 268,659 thousands).													Ujjain	17	7
Corresponding Total for w/e 18-8-51	1,515	..	711	..	1,674	..	420	..	1	Mandya	35	10
Corresponding Total for w/e 11-8-51	1,350	..	681	..	1,897	..	497	Mysore	7	3	23	5	19	12	
7-yearly mean for the week	3,970	..	1,072	..	596	..	132	..	167	..	63	Tumkur	4	5	1	2	14	3
													TOTAL	132	59	48	10	41	17

Explanation of symbols used :—C=Cases, D=Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 25th August, 1951—contd.

	CHOLERA SMALLPOX PLAGUE						CHOLERA SMALLPOX PLAGUE											
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.						
Patiala & East Punjab States Union												TYPHUS						
Total 3 2 The following cases of Typhus were reported during the week.																		
Rajasthan																		
Bikaner	Place											
Former Matsya Union	1	1	Greater Bombay											
Jaipur	6	6	Cases Deaths											
Jodhpur	2											
TOTAL	7	7	Poliomyelitis											
Bihar																		
No incidence.																		
Travancore-Cochin																		
TOTAL	24	6	Place											
Vindhya Pradesh																		
No incidence.																		
Grand total for States Part (B)	317	130	87	26	44	17	Period											
Grand total for States Parts (A), (B) and (C)	1,697	789	1,440	359	44	17	Delhi State											
							16-31 August, 1951											
							Bilaspur w/e 5-5-51											
							TOTAL 1 1											
Explanation of symbols used:—C = Cases D = Deaths																		

NEW DELHI 2 (INDIA) }
The 17th September 1951 }

K. MITRA,
For Registrar General India.

NATIONAL SAVINGS CERTIFICATES

Available in three different series, maturing after 6, 7 and 12 years. The yield is 3%, 3.57% and 4.16% simple interest, respectively, at maturity. Thus, in the 12 year-certificate money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000, and two joint holders upto Rs. 50,000/-.

Full particulars obtainable from Post Offices, District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioners, Simla.

Deposits accepted in multiples of Rs. 100/- upto a maximum of Rs. 25,000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum (free of all taxes and not taken into account in assessing the total taxable income) is paid or remitted to the depositor's address every year. Deposits accepted at offices of the Reserve Bank of India at Bombay Calcutta, Delhi & Madras, and Branches of The Imperial Bank of India in other places transacting treasury business.

Full particulars obtainable from District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioners, Simla.

3½%
TEN-YEAR
TREASURY SAVINGS
DEPOSITS

AC.275

TODAY'S BEST INVESTMENT FOR SMALL SAVERS

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 25th August, 1951.

Town	Mid.-1951 Popn.-Est. ('000)	B.	Deaths from—										Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total				
Ajmer												STATES—(Parts A and B)			
Ajmer	108	176	46.2	8	8	8	...	36	9.5	13		
Beawar	52	41	41.0	11	1	3	...	19	10.0	5		
Total	250	217	45.1	10	9	11	...	55	11.4	18		
Assam												Return not received.			
Bhopal	103	30	10.7	7	3	5	†	17	8.6	†		
Bihar												Return not received			
Bombay												Return not received			
Ahmedabad	882	738	43.5	44	35	79	...	283	16.7	127		
Ahmednagar	67	72	55.9	4	4	4	1	26	20.2	9		
Amalner	46	35	40.0	11	1	2	...	22	24.9	9		
Bandra †	192	129	34.9	—	—	—	25	6	10	1	70	19.0	21		
Baroda	42	38	47.0	9	2	2	1	21	26.0	10		
Barsi	79	41	27.7	8	—	—	—	19	18.2	2		
Belgaum	45	37	47.8	5	1	4	—	13	15.0	—		
Bhujawal	68	35	31.4	4	1	5	—	17	16.2	4		
Bijapur	2,354	1,331	29.4	4	31	152	5	637	14.1	200		
Bombay	78	60	33.3	5	—	3	...	10	6.6	3		
Broach	38	38	57.0	8	—	2	—	13	17.8	4		
Cambay	55	26	24.6	—	—	5	—	24	25.5	2		
Dharwar	67	50	38.8	15	—	5	1	27	20.9	1		
Dhulia	67	36	27.0	9	3	6	1	33	25.6	5		
Gadag-Betgeri	49	16	17.0	6	—	1	—	7	7.4	2		
Godhra	108	55	26.5	3	1	2	—	19	9.1	2		
Hubli	68	72	49.5	10	—	1	—	24	10.1	1		
Jalgaon	87	24	33.7	—	—	1	—	6	8.6	12		
Kalyan	117	85	37.8	3	—	3	—	37	16.4	9		
Kolhapur	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kurla †	41	38	48.2	8	—	2	—	11	14.0	1		
Maklegaon	39	7	9.3	—	—	2	—	9	12.0	1		
Mira	59	41	36.1	14	1	1	—	27	23.8	9		
Nadiad	69	49	43.2	5	2	1	1	27	23.8	7		
Nasik	47	24	26.6	2	—	—	1	6	6.6	2		
Nevasari	37	40	37.2	5	1	7	—	22	30.9	7		
Pandharpur	48	28	33.9	7	4	—	—	19	23.0	3		
Parle Andheri †	310	267	43.5	1	1	44	3	159	25.4	50		
Patan	40	28	36.4	1	3	—	—	14	18.2			
Poona	274	211	40.0	1	—	—	12	12	50	1	134	25.4	2		
Sangli	246	150	30.2	15	5	10	—	71	15.0	21		
Satara †	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sholapur	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Surat	5,648	3,791	34.9	1	—	—	243	114	404	15	1,807	16.6	560		
Delhi State												Return not received			
Delhi City	702	688	51.0	71	18	26	1	168	12.4	63		
New Delhi	124	293	122.9	—	—	9	2	70	20.4	9		
Total	826	981	61.8	71	18	35	3	238	14.7	72		
Madhya Pradesh												Return not received			
Akola †	78	62	41.5	—	—	—	4	6	2	1	30	20.1	7		
Amravati	44	25	29.7	—	1	—	5	—	—	—	14	16.6	3		
Bilaspur	64	72	58.3	—	—	—	11	2	—	—	20	16.2	—		
Burhanpur	44	31	37.0	—	—	—	5	2	2	—	24	28.6	14		
Chanda	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Demoh †	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ellichpur	34	30	45.3	—	—	—	2	3	—	—	17	25.7	5		
Hinganghat †	177	92	27.0	—	—	—	24	4	3	—	47	13.8	—		
Jabalpur	42	25	30.6	—	—	—	12	2	—	—	25	30.6	—		
Khandwa	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nagpur †	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nagpur Civil Station †	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Raipur	82	17	10.8	—	—	—	4	3	—	—	8	5.1	—		
Sagar †	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Wardha †	92	36	57.9	—	—	—	0	1	—	—	16	25.7	3		
Total	597	300	34.0	—	1	—	76	23	7	1	201	17.5	32		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :- B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever, D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 25th August, 1951—contd.

Town	Mid.-1951 Popn.-Est. (000)	Deaths from—												
		B.	B.R.*	C.	S.	P.	F.	D. D.	R. D.	M. D.	Total	B.R.*	I.D.	
Madras														
Adoni	35	80	44.6	1	3	..	10	14.9	1	
Amber	89	28	37.5	2	3	1	..	11	14.7	5	
Anskapelle	85	38	56.5	..	3	..	6	2	3	..	23	34.1	3	
Aiappukottai	36	54	78.0	2	3	3	1	22	31.8	4	
Bellary†	33	15	23.6	1	5	7.9	1	
Bhimevaram	35	31	46.1	2	..	1	..	13	19.3	4	
Cannanore	
Chirala	36	35	50.6	1	..	5	..	17	24.6	2	
Chittoor	34	29	44.4	1	2	2	..	26	39.8	6	
Coimbatore	167	156	19.0	14	23	1	81	25.2	10	
Cuddalore	62	94	78.8	3	2	13	4	1	41	36.4	6	
Cuddeppah	34	22	39.7	1	2	..	6	9.2	2	
Dindigul	69	51	39.0	2	2	3	..	18	13.8	7	
Eluru	73	29	20.7	..	1	..	5	1	1	..	29	20.7	..	
Erode	45	47	73.0	1	6	1	23	35.8	4	
Guddiyattam	41	30	38.1	2	..	7	8.9	2	
Guntur	103	138	69.7	3	7	8	8	2	60	30.3	12	
Kakinada	85	137	83.8	..	1	..	2	..	2	..	40	24.5	3	
Kancheepuram	84	69	42.7	2	5	11	..	95	21.7	6	
Kozhikode	154	144	48.5	9	3	6	2	66	22.3	13	
Karaikudi	36	39	56.3	1	3	2	..	16	23.1	4	
Karur	36	16	23.1	1	19	27.4	5	
Kumbakonam	72	75	54.2	2	2	6	3	49	31.1	6	
Kurnool	56	60	55.7	1	..	2	2	23	21.3	6	
Madras	1,027	1,524	77.1	2	3	..	69	138	266	6	828	41.9	212	
Mangalore	96	82	44.4	5	8	..	57	30.9	9	
Massilipatnam	61	66	56.2	2	..	2	..	20	17.0	5	
Mathurai	298	317	47.9	10	12	51	..	147	21.8	38	
Mayuram	33	22	34.7	1	1	..	1	16	25.2	4	
Melapalayam	32	25	40.6	3	2	2	..	14	22.8	4	
Nagapattinam	57	68	62.0	1	2	1	2	28	25.5	3	
Nellore	67	94	72.9	17	5	3	3	71	55.1	13	
Ootacamund	35	32	47.5	1	3	..	8	11.9	5	
Polyamkottai	34	25	38.2	5	..	20	30.6	6	
Palghat	61	63	53.7	..	1	..	1	..	5	..	29	24.7	6	
Prodatur	34	28	42.8	1	1	2	..	13	19.9	2	
Pudukottai	40	30	39.0	5	1	2	..	19	24.7	1	
Rajahmundry	86	80	48.4	9	5	1	..	55	33.3	11	
Rajapalayam	54	48	46.2	4	1	5	..	21	20.2	4	
Salem	158	87	28.6	4	2	8	2	54	17.8	13	
Srivilliputtur	37	30	50.6	2	4	16	22.5	4	
Tanjore	71	77	56.4	1	1	..	1	3	7	3	63	40.1	9	
Telllicherry	42	37	45.8	3	1	27	33.4	5	
Tenali†	1	9	8	1	72	20.0	15	
Tiruchirappalli	177	115	93.8	5	8	1	33	26.8	11	
Tirunelveli	64	49	30.8	
Tiruppur	49	42	44.6	5	2	1	..	24	25.5	2
Tiruvannamalai	40	42	54.6	1	1	2	..	16	10.5	2	
Tuticorin†	
Vaniyambadi	40	26	33.8	3	..	9	11.7	1	
Vellore	86	141	85.3	6	6	8	1	66	39.9	8	
Vijayavada	113	120	55.2	1	5	5	10	1	53	25.3	13	
Virudhunagar	36	52	2.9	4	3	3	..	15	22.5	3	
Visakhapatnam	84	74	45.8	..	3	..	4	3	12	1	51	31.6	11	
Vizianagram	59	45	30.7	2	3	2	..	25	22.0	9	
TOTAL	4,477	4,764	55.3	11	13	..	203	284	527	35	2,505	29.1	548	
Orissa														
Berhampur	63	48	30.6	6	6	2	..	22	18.2	6	
Cuttack	103	92	46.4	4	5	2	..	32	16.1	2	
Puri	49	33	35.0	3	5	2	..	22	23.3	3	
TOTAL	215	173	41.8	13	16	6	..	76	18.4	11	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

‡ Explanation of symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 25th August 1951—contd.

Deaths from:

Town	Mid-1951 Popn.—Est. (000)	Deaths from:											
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.†	I.D.
Punjab (I)													
Ambala	58	44	39.6	4	1	4	...	14	12.6	3
Amritsar	320	119	19.4	5	11	24	1	82	13.4	26
Batala	51	21	21.5	5	3	9	...	20	20.4	5
Bhiwani	52	44	44.0	5	1	1	...	13	13.0	8
Ferozepore	41	17	21.6	4	3	1	...	12	15.3	1
Hissar	35	25	37.3	8	...	2	...	12	17.9	3
Hoshiarpur	46	23	26.1	3	...	3	...	7	7.9	4
Jullundur	171	104	31.7	19	1	2	1	33	10.1	5
Kaithal	35	31	46.2	...	1	...	2	...	1	...	5	7.5	2
Karnal	60	33	28.7	5	5	4.3	...
Ludhiana †													
Moga	37	15	21.1	6	1	8	11.3	1
Panipat	56	44	41.0	7	12	11.2	4
Rewari	34	30	46.0	3	1	1	...	10	15.3	4
Rohtak	59	46	40.6	7	13	11.5	4
Simla	48	24	27.2	2	2.3	1
Sonepat	31	17	28.6	2	2	3.4	2
TOTAL	1,132	637	29.3		1		79	22	48	2	250	11.5	70
Uttar Pradesh													
Agra	360	428	61.9	2	5	77	...	103	23.0	40
Allahabad	332	350	54.9	2	6	65	1	110	17.3	41
Amroha	67	84	65.0	5	2	10	1	35	27.1	10
Bahraich	47	27	30.1	4	3	10	11.1	2
Balrampur	52	18	18.0	9	12	12.0	6
Banaras	313	258	43.0	66	34	15	...	224	37.3	65
Bareilly	240	183	39.8	14	7	15	...	62	13.5	24
Budaun	59	35	31.0	9	2	1	...	17	15.0	7
Dehra Dun	108	94	16.8	5	1	8	...	23	11.4	6
Etawah †													
Faisabad-Ajodhya	58	24	21.4	3	1	1	...	11	9.8	4
Farrukhabad-Fatehgarh	65	78	62.9	16	2	7	...	38	30.7	18
Ferozabad	57	49	44.9	18	9	3	2	...	40	36.7	10
Ghazipur	35	26	38.4	7	1	13	19.2	3
Gorakhpur	123	90	41.9	17	7	2	...	41	17.3	10
Hapur	48	51	55.9	9	1	3	...	15	16.4	3
Hardwar Union	72	54	39.1	13	1	7	...	91	22.5	7
Hathras	87	86	78.3	26	3	2	...	40	36.4	16
Jaunpur	52	25	24.9	7	...	7	...	22	21.0	2
Jhansi	91	154	87.8	35	6	1	...	66	37.6	29
Kanpur	701	422	31.4	1	100	34	29	4	303	22.5	108
Khurja	42	26	32.4	12	5	4	5.0	1
Koil-Aligarh	146	148	52.9	5	1	1	...	37	13.2	11
Lucknow	408	330	34.6	28	6	19	2	120	12.6	44
Mathura	102	90	50.5	13	1	7	...	36	18.4	9
Meerut	133	42.6	10	12	10	...	46	14.4	13
Mirzapur-Vindhya Chal	82	99	63.3	24	2	4	...	59	33.9	16
Moradabad	189	170	46.9	27	5	5	4	59	18.3	14
Muzaffarnagar	66	59	46.3	5	7	1	1	10	14.0	6
Pilibhit	54	45	43.6	4	1	1	...	12	11.6	3
Rampur	105	15	7.5	9	1	15	7.5	1
Saharanpur	171	146	44.5	39	2	2	...	50	15.3	23
Sambhal	64	58	47.1	9	7	27	21.0	11
Shahjahanpur	135	71	27.4	11	4	2	1	25	9.7	11
Sitapur	88	37	81.1	9	...	1	...	18	24.8	8
TOTAL	4,789	3,921	42.6	19	558	172	306	15	1,796	19.5	585

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 25th August, 1951—contd.

Deaths from :—

Town	Mid.-1951 Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.*
West Bengal													
Almora†	31	6	5·1	1	2	..	6	5·1	..
Bally	49	17	18·0	4	4·2	..
Bankura	78	50	33·3	5	4	3	..	20	19·3	..
Baranagar	56	39	36·2	14	2	22	20·4	7
Berhampur	134	25	9·7	..	1	..	20	..	2	..	49	19·0	17
Budge Budge	32	9	14·6	7	11	17·9	..
Burdwan	76	19	13·0	30	..	1	..	86	149	160	..	9	6·2
Calcutta	2,564	1,301	26·4	4	840	17·0	236
Hampdani	38	12	16·4	4	5·5	..
Garden Reach	111	19	8·9	2	4	1	..	10	5·7	2
Hoogly Chinua	57	25	22·8	3	0	2	16	18·5	3
Jorwha	445	101	22·3	9	25	34	..	139	18·2	41
Kamarhati	48	3	3·3	2	2	2·2	..
Krishnagar	44	14	16·5	4	4	3	..	17	20·1	..
Midnapur	57	..	7·4	12	2	17	15·8	..
Nababipore	56	8	1	..	1	1	8	7·4	1
Naihati	74	28	19·7	6	6	2	2	27	19·0	10
Serampur	104	28	14·0	..	1	..	1	4	4	..	19	9·5	5
South Suburban	71	32	23·4	..	1	..	31	1	2	..	36	20·4	..
Sitagarh	154	5	1·7	1	..	1	0·3	..
Tollygunj
TOTAL	4,809	1,831	22·1	34	4	..	199	213	218	7	1,258	15·2	322
STATES—(Part B)													
Jammu and Kashmir													
<i>Return not received.</i>													
Madhya Bharat													
Greater Gwalior	240	48	10·6	3	1	22	4·7	3
Indore City	278	236	44·1	34	5	3	3	107	20·0	43
Retlam City	52	7	3	2	..	18	18·0	..
Ujjain City†
TOTAL	570	284	25·9	44	9	5	3	147	13·4	46
Mysore State													
Bangalore City	788	404	26·7	1	2	..	4	86	62	..	176	11·6	..
Kolar Gold Fields	160	89	28·9	1	12	9	..	22	7·2	..
Mysore City	247	191	40·3	1	3	..	16	4	..	1	38	8·0	..
TOTAL	1,195	684	29·8	2	5	..	21	52	71	1	236	10·3	..
PEPSU													
Bhatinda	34	20	30·6	1	2	3·1	..
Malerkotla	33	30	47·3	2	2	3·2	..
Atiala	98	88	46·7	12	1	2	..	28	14·9	17
TOTAL	165	138	43·5	16	1	2	..	32	10·1	17
Rajasthan													
Alwar†	58	7	6·3	2	..	1	..	7	6·3	..
Bikaner	117	61	27·1	1	6	..	16	7·1	..
Jaipur	295	56	9·0	87	6	3	3	107	18·9	42
Dotah	64	17	13·8	6	10	8·1	..
Jodhpur†
TOTAL	534	141	13·7	45	7	10	3	140	13·6	42
Gaurashtra													
Bhavnagar	131	41	16·3	10	1	1	..	35	18·0	4
Dhoraji	46	24	27·1	3	2	2	..	9	10·2	..
Fannagar	89	138	80·6	16	3	2	..	36	21·0	16
Aspur	34	18	27·5	2	2	3·1	..
Unagadh	77	25	16·9	4	2	2	..	19	12·8	11
Morvi	56	18	16·7	7	1	1	..	10	9·3	3
Porbandar	64	30	24·4	13	2	..	1	22	17·8	10
Tekjot	74	48	33·7	37	6	10	..	53	37·2	..
TOTAL	871	342	31·1	161	17	18	1	186	16·9	44

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Diphtheria and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 25th August, 1951—concl.

Deaths from—

Town	Mid-1951 Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.**	I.D.
<i>Travancore-Cochin</i>													
<i>Return not received.</i>													
<i>ARREAR RETURNS</i>													
<i>Punjab (I) For w/e the 4th August, 1951</i>													
Ambala	68	42	37.8	8	3	9	8.1	6
Amritsar	320	169	27.5	7	9	17	...	71	11.6	15
Batala	61	18	18.4	1	...	3	...	6	6.1	1
Bhiwani	52	45	45.0	6	...	3	...	13	13.0	2
Ferozepore	41	19	24.2	2	2	2	...	11	14.0	3
Hissar	35	24	35.8	5	...	2	...	11	16.4	5
Hoshiarpur	46	13	14.7	...	2	...	4	...	1	...	7	7.9	2
Jullundur	171	111	33.0	15	...	1	...	23	7.0	7
Kaithal	35	35	52.2	3	1	1	2	9	13.4	1
Karnal	60	26	22.6	8	...	1	...	14	12.2	5
Ludhiana	150	90	31.3	6	...	1	...	18	6.3	3
Moga	37	14	19.7	5	6	8.5	2
Panipat	56	44	41.0	5	1	7	6.5	4
Rewari	34	32	49.1	2	1	1	...	4	6.1	1
Rohtak	59	48	42.4	6	...	1	...	10	8.8	4
Simla	46	42	47.6	5	1	1.1	1
Sonepat	31	30	50.4	...	1	11	18.5	2
TOTAL	1,282	802	32.5	...	3	...	83	17	33	2	231	9.4	63

Madhya Bharat		For w/e the 18th August, 1951											
Greater Gwalior	240	77	16.7	30	9	6	3	107	23.1	...
Indore city	278	193	24.9	26	8	3	30	110	20.6	4
Ratlam city	52	23	23.0	4	3	6	..	18	18.0	..
Ujjain city	106	67	32.8	2	8	10	26	62	30.2	2
TOTAL	676	300	23.1	62	28	24	68	297	22.8	6

Madhya Pradesh For w/e													
Raipur	4-8-51	82	17	10.8	2	1	5	3.2
"	11-8-51	82	16	10.1	2	1	5	3.2
Nagpur	"	306	198	33.6	20	29	6	...	87	14.8
Nagpur O. S.	"	85	51	31.1	8	4	11	6.7
Akola	"	78	74	49.3	10	6	2	...	42	28.0
Wardha	"	37	38	52.8	1	1	1	...	4	5.6
Hinganghat	18-8-51	34	24	37.1	2	...	5	...	8	12.4
Wardha	"	97	18	25.0	2	1	4	5.6
Hinganghat	"	34	11	17.0	8	2	0	2	16	24.7
Jabalpur	"	177	114	33.4	...	2	...	18	3	18	...	62	18.2

Punjab (I)													
Rohtak	18-8-51	59	37	32.7	3	4	3.5
Sonepat	"	31	34	57.1	2	3.4

Bombay													
Gadag-Betgeri	23-8-51	67	53	41.1	4	..	6	1	21	16.3
Kalyan	7-7-51	37	22	30.1	1	..	1	..	7	9.8
Miraj	"	39	9	12.0	1	..	3	4.0
Brocch	14-7-51	192	43	28.7	12	1	4	..	27	18.0
Malgaon	"	41	49	62.1	15	..	2	..	29	24.0
"	21-7-51	41	45	57.0	21	1	24	30.4
Sangli	11-8-51	40	18	23.4	3	1	2	..	12	15.6

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used.—B = Births; B.R. = Birth Rate; C = Cholera; S = Smallpox; P = Plague; F = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Mental Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for week ending the 25th August, 1951, relate to 188 towns with an estimated population of 25,381 thousands. The total number of towns is 236 and their population is 29,440 thousands. Thus 80% of the total number of towns representing 86% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 18,333 and 8,944 representing birth and death rates of 37.6 and 18.3 per thousand of population respectively.

(A) States (Parts A & C).—The data here relate to 167 towns with an estimated population of 22,346 thousands. Information about Assam and Bihar could not be included. The total number of towns is 202 and their population is 25,128 thousands. Thus 83% of the total number of towns representing 89% of the total population is covered. The numbers of births and deaths recorded in these towns were 16,744 and, 8,203 representing birth and death rates of 39.0 and 19.1 per thousand of population

respectively. The table at the end gives the position by States.

Nellore in Madras was the only town which had a high death rate of 55.1 per thousand of population and this high death rate was largely due to deaths from fevers.

(B) States (Part B).—The data here relate to 21 towns with an estimated population of 3,035 thousands. The total number of towns is 34 and their population is 4,312 thousands. Thus 62% of the total number of towns representing 70% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,589 and 741 representing birth and death rates of 27.2 and 12.7 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 25-8-51		Corresponding w/e last year		Corresponding mean during the previous 3 years period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer	45.1	11.4	61.8	15.0	45.4	20.3
Bombay	34.9	16.6	40.2	20.4	37.7	24.5
Delhi	61.8	14.7	58.3	17.0	48.7	16.9
Madhya Pradesh	34.0	17.5	44.0	29.5	44.6	27.6
Madras	55.3	29.1	49.8	30.3	47.1	26.7
Orissa	41.8	18.4	50.2	34.0	38.5	27.8
Punjab	29.3	11.5	34.6	12.8	32.7	14.7
Uttar Pradesh	42.6	19.5	40.1	20.3	43.4	25.7
West Bengal	22.1	15.2	19.1	15.1	14.5	13.8
India (only States Parts A & C)	39.0	19.1	38.8	21.0	36.5	22.2

Forwarded for information.

NEW DELHI 2 (INDIA); }
The 17th September, 1951. }

K. Mitra,
for Registrar General, India

